

2 体格の状況

●市全体、学年別

●小学校





	男子						女子					
	児童数	体格平均		肥満傾向児・痩身傾向児の出現率			児童数	体格平均		肥満傾向児・痩身傾向児の出現率		
		身長 (cm)	体重 (kg)	肥満	普通	痩身		身長 (cm)	体重 (kg)	肥満	普通	痩身
3年生	1,418	128.74	28.09	10.8%	88.0%	1.2%	1,327	128.13	27.42	10.4%	88.9%	0.8%
4年生	1,411	134.18	31.95	14.2%	84.1%	1.6%	1,446	134.73	31.32	9.6%	87.7%	2.7%
5年生	1,528	139.54	35.38	13.0%	84.7%	2.3%	1,432	141.25	35.24	9.3%	87.9%	2.7%
6年生	1,423	146.00	40.08	15.1%	81.0%	3.9%	1,393	148.06	41.01	12.5%	84.7%	2.8%

●中学校




	男子						女子					
	生徒数	体格平均		肥満傾向児・痩身傾向児の出現率			生徒数	体格平均		肥満傾向児・痩身傾向児の出現率		
		身長 (cm)	体重 (kg)	肥満	普通	痩身		身長 (cm)	体重 (kg)	肥満	普通	痩身
1年生	1,420	154.14	45.88	12.4%	83.5%	4.1%	1,314	152.54	44.30	7.6%	88.4%	4.0%
2年生	1,402	161.29	50.38	10.3%	86.2%	3.4%	1,385	155.40	47.46	7.7%	87.7%	4.7%
3年生	1,432	166.10	54.77	10.2%	86.7%	3.1%	1,329	156.76	49.60	6.9%	89.5%	3.5%

身長








男子



※グラフ縦軸の数値の単位は「人」、横軸は「cm」







女子







体 重









男子

※グラフ縦軸の数値の単位は「人」、横軸は「kg」





女子



＜肥満傾向児・痩身傾向児の出現率の算出・判定方法＞

「児童生徒の健康診断マニュアル(改訂版)」より

平成18年3月31日発行(財)日本学校保健会

・標準体重(kg) = a × 身長(cm) - b

・肥満度(%) = [自分の体重(kg) - 標準体重(kg)] ÷ 標準体重(kg) × 100

標準体重を求める係数

年齢	男子		女子	
	a	b	a	b
6(小1)	0.461	32.382	0.458	32.079
7(小2)	0.513	38.878	0.508	38.367
8(小3)	0.592	48.804	0.561	45.006
9(小4)	0.687	61.390	0.652	56.992
10(小5)	0.752	70.461	0.730	68.091
11(小6)	0.782	75.106	0.803	78.846
12(中1)	0.783	75.642	0.796	76.934
13(中2)	0.815	81.348	0.655	54.234
14(中3)	0.832	83.695	0.594	43.264

判定基準

肥満度	判定
50%以上	高度肥満
30～49.9%	中等度肥満
20～29.9%	軽度肥満
-19.9～19.9%	正常
-29.9～-20%	やせ
-30%以下	高度やせ